DNOW

SAFETY SERVICES EQUIPMENT RENTALS

Rentals, Inspection, Maintenance and Turnaround Support



Tychem[®] 2000 SFR

Offers chemical and secondary flame protection in a lightweight garment

DuPont Tychem 2000 SFR garments are intended to be worn over primary flame-resistant garments. In the event that a flash fire occurs, they won't ignite and won't contribute to additional burn injury if appropriate flame-resistant personal protective equipment, such as DuPont Nomex, is worn beneath.

Unlike traditional secondary flame-resistant chemical garments that have been available for years, Tychem' 2000 SFR garments were specially designed to meet the dual hazard needs of a protective chemical suit with secondary flame resistance.

The fabric used in Tychem' 2000 SFR garments is a unique technology. It doesn't char like traditional secondary flame-resistant technologies. Instead, it was designed to shrink away from flame without burning.

Tychem 2000 SFR, only by DuPont.

© 2023 DuPont, All rights reserved, DuPont[®], the DuPont Gval Logo, and all triademarks and service marks denoted with [®], ^{III} an [®] are owned by affiliates of DuPont de Nemours, Inc. Unless otherwise nated





DNOW Safety Services

Above all else, customers are concerned about the safety of their employees and contractors working within their facility. DNOW is challenged every day to bring ideas that will help create a safer workplace and better ways for the workers to obtain the products and knowledge they need to perform their jobs safe from accident or injury.

DNOW addresses these concerns by constantly communicating with our customers, discussing their product and service needs, achieving a better understanding of the drivers for their business, and always searching for and delivering better ways of servicing customers that bring more value to our relationship.

Each DNOW Safety Services branch has experienced, certified, factorytrained technicians for inspection, service and repair of customerowned safety equipment. Service shops in our branches are equipped with factory-authorized testing equipment, high-pressure breathing air compressors and an extensive inventory of replacement parts and calibration gases.

Safety Services and Solutions

- Rental, Repair and Maintenance
- Instrumentation
- Respiratory Equipment
- Miscellaneous Equipment
- On-Site Store
- Turnaround Services
- Most Popular Rental Items



Inspections and Certifications

In addition to our shop technicians, our field service crews can perform monthly inspections and annual recertification of customers' SCBA breathing equipment, emergency safety showers, eyewash stations and level A protection suits.

Rental, Repair and Maintenance


DNOW Safety Services provides rental, inspection, repair and maintenance of life-saving equipment. Our carefully trained technicians and standard operating procedures ensure that our equipment meets manufacturer standards and customer expectations.


We are nationally recognized as a responsive and wellstocked rental equipment provider with significant advantages for our customers:

- Large Gulf Coast inventory of ready-to-rent equipment
- Immediate equipment pickup or same-day shipping
- Nationwide HAZMAT shipping program
- Significant discounts for high volume or extended rentals











Instrumentation

DNOW Safety Services offers personal single-gas and multi-gas monitors, photoionization detection monitors (PIDs), area monitors, benzene monitors and confined space monitors, for sale or rent.

Our service shops are fully equipped with factoryauthorized testing equipment and an extensive inventory of replacement parts and calibration gases. We offer all standard mixtures for gas detector calibration, as well as exotics and custom blends, in all cylinder sizes.

MSA Altair[®] 5X Multigas Detector

- Standard 4 Gas (LEL, O2, CO, H2S)
- NO2, NH3 and other toxic sensors
- Advanced PID and IR sensor options
- Includes color display, 10 ft Sampling line and 1 ft Probe
- Ideal for confined space where there is no direct line of sight

MSA Altair[®] 4XR Multigas Detector

- Standard 4 Gas (LEL, O2, CO, H2S)
- SO2, NO2 sensors optional
- Rapid response sensors
- Durable personal monitor with rechargeable batteries
- 24 hr run time

MSA Galaxy[®] GXS Automated Test System

- Available for Altair 4XR and Altair 5X Multigas Detectors
- Color Touch Screen
- Test up to 10 gas detectors simultaneously

Industrial Scientific MX6 iBrid® Multigas Monitor

- Monitor up to 6 gases
- 24 sensor options including PID and IR
- Simplified maintenance and reporting with DSXi Docking Station



- Accurate measurement of VOCs from .01 to 10,000 ppm
- 3-second response time for VOCs
- Correction factors for more than 350 compounds
- Delivers accurate measurement of benzene from 10ppb to 200ppm

Drager X-zone[®] 5500 Area Monitor

- Rapid sensor response time
- Detect up to 6 gases
- Highly flexible fenceline configurations
- Easy deployment and set up
- Operates in combination with Drager X-am[®] 5000 gas detection instruments

RKI Eagle II 4-Gas Monitor for Catalyst Applications

- Durable ergonomic RFI/EMI/ chemical/weather-resistant enclosure
- O2, CH4 (IR% LEL), CO, H2S
- Powerful, long-life pump up to 125 ft.
- Internal hydrophobic dust filter
- Intrinsically safe design, CSA approval











Calibration and Maintenance Program

Many customers utilize our monthly gas detector program, in which a DNOW licensed and factorytrained electronics technician performs field repairs to monitors, maintains monitor docking stations, and calibrates each customer-owned gas detection monitor. The calibration report is provided electronically, providing the customer with an independent and traceable record of compliance.

During our monthly visits, customers utilize our technicians as a point of knowledge to answer user questions on gas detection and to troubleshoot any issues or inefficiencies with the customers equipment or gas detection program.



SAFETY SERVICES EQUIPMENT RENTALS



On-Site Safety Stores

DNOW Safety Services has operated on-site safety stores and service centers for over 20 years at customer facilities across the U.S. Our on-site safety technicians maintain a complete ready-to-rent consignment of safety service equipment as well as customer specified PPE. They also serve as a base for our trained safety technicians to perform inspections, repairs, respirator fit testing and other valuable duties.

EQUIPMENT:

- Plant specified consigned PPE inventory
- Certified technicians maintain customer owned equipment
- Dedicated rental safety equipment
- E-Catalog operating platform
- Single monthly summary billing
- Fire Resistant Clothing (FRC) program
- Respirator fit testing
- Plant employee fall protection inspections
- Asset tracking
- Plant turnaround focal point









RESPIRATORY EQUIPMENT

DNOW Safety Services provides full line sales, repair service and rental items from the most recognized manufacturers of breathing air equipment including:

- 3M Scott-3M Air Systems MSA
- 30-minute SCBA Air Packs
- Emergency 5-minute escape airline units
- LP & HP breathing air hose
- Airline respirators
- Welding respirators
- Breathing masks/facepieces
- 5-minute ELSA escape respirators
- Powered air purifying respirators (PAPR)
- Breathing air boxes

Breathing Air Capabilities

DNOW Safety Services has various options to provide the most effective solution for your breathing air requirements, from a simple 2-bottle cart with 120 cubic feet of breathing air to a tube trailer with 165,000 cubic feet of breathing air. Our responsibility is to provide quality, certified Grade D or better breathing air in a size and configuration to meet your needs.

Breathing Air Certificates of Analysis

We exceed standard requirements for testing and analysis of breathing air. Breathing air is tested through our own in-house processes, as well as by the Lab On Locale[™] portable gas analysis system or other 3rd party certifications. Certificates of analysis (COAs) are provided for all shipments of breathing air.

Breathing Air Volume Requirements

There are many factors that influence the safe consumption of breathing air. These factors include the type of respirator, the adjustable flow rate, the number of supplied users and the breathing rate/ capacity of the respirator wearer. Give DNOW Safety Services a call to help you select the most effective solution based upon your unique needs.



BREATHING AIR CONFIGURATIONS

- 2-bottle carts (90 or 300 cu. ft. cylinders)
- 6 and 12 packs (1,800 or 3,600 cu. ft).
- 12- and 20-bottle trailers (3,600 to 6,000 cu. ft.) as well as space to store equipment
- CUBe module (86,000 cu. ft) This lightweight container (12 ft. X 10 ft. X 10 ft.) is mounted via cam-locks on a goose-neck trailer and can be lifted off the trailer if space is a concern.
- Tube trailers (165,000 cu. ft.)
- Kodiak low-pressure compressor trailer provides up to 400 SCFM of breathing air at 132 psi after filtration. For larger breathing air jobs, this trailer can provide considerable savings, as well as increased safety from not having to move equipment in and out of the work site.



BREATHING AIR CONSUMPTION (CFM) GUIDELINE

	Storage	80%	Number of Respirator Users							
Air Storage	Capacity	Swap-out	2		10		40		80	
System	Cubic feet of air		Scott	3M	Scott	3M	Scott	3M	Scott	3M
			Hours of air supply with 80% swap-out							
2-Bottle cart	600	480	2	0.4	0.4	0.1	0.1	0	0.1	0
12-Pak	3,600	2,880	12	2.7	2.4	0.5	0.6	0	0.3	0
20-Bottle trailer	6,000	4,800	20	4.4	4.0	0.9	1.0	0	0.5	0
CUBe	86,000	68,800	287	63.7	57.3	12.7	14.3	3	7.2	2
Tube trailer	159,000	127,200	530	117.8	106.0	23.6	26.5	6	13.3	3
Kodiak (400 cfm) 10 hour shift	240,000	240,000	1000	222.2	200.0	optimal		na		
Scott Airline with escape air usage in cfm 2			Note: Will fluctuate with breathing rate, pressure, and use of purge							
3M welding mask air usage in cfm 9				Note: Respirator is approved for flow rates from 4 - 15 cfm						



Turnaround & Shutdown Services

DNOW Safety Services offers on-site mobile and stationary facilities to support your peak requirements for rental equipment, personnel and safety products. You can count on us to provide turnaround solutions that will be accident free, on budget and with no work stoppages due to equipment being unavailable.

Our scalable resources across several Gulf Coast safety centers allow DNOW to rapidly staff and equip any unscheduled plant outage or emergency. By utilizing the DNOW turnaround tracking software, all product issues and equipment rentals can be tracked by company, contractor, employee and supervisor, helping customers maintain control, increase accountability and minimize lost equipment.

WORLD-CLASS SOLUTIONS:

- Safety equipment rental
- Equipment issue and service trailers
- Breathing air bottles, racks, trailers and compressors
- Safety technicians and safety personnel
- Compressor & bottle watch
- Fit testing and equipment training
- Equipment tracking
- Expenditure tracking and reporting



Kodiak Breathing Air Compressor Trailer

DNOW's Kodiak breathing air system is a cost-effective solution for breathing air requirements.

The Kodiak is a low-pressure (132 psi) breathing air compressor system that delivers 400 SCFM of Grade D breathing air after filtration. Inlet air is monitored for CO2, LEL CO and H2S. Breathing air is continuously monitored for O2, CO, CO2 and moisture via a fixed, multichannel analyzer.

Twin air filter/dryer towers deliver the Grade D breathing air to two 240 gallon tanks (480 gal total), which act as storage/buffer to smooth the supply of air downstream to air storage pots, manifolds and respirators.

Features

The Kodiak breathing air system provides up to 400 SCFM with a backup connection to 12 packs or a tube trailer. The two compressors can be run independently from one another or in tandem. When running independently the second compressor automatically starts if the first compressor fails. If both compressors shut down or pressure drops below 120 psi, a pressure regulator diverts air from the back-up connection to ensure that users have adequate air supply.

COST ANALYSIS EXAMPLE

- 50 workers @ 4 SCFM, working 8 of 12 hours per shift, for 2 shifts
- 192,000 SCFM per day would require 1.5 tube trailers per day
- Cost would be approximately \$4,250 for air each day for tube trailers



Kodiak low-pressure compressor trailer




Benefits

DNOW's system provides a safe, efficient and cost-effective breathing air supply. It eliminates the requirement of constantly moving large tube trailers in and out of the site, which can cause work stoppage and safety issues related to moving vehicles when contractors are working.

SPECIFICATIONS:

- 16 ft. enclosed trailer with swing doors and ramp
- Man-door on front right side
- Trailer dimensions: 17 ft. 6 in. (20 ft. with ramp down) X 8 ft. 6½ in. X 8 ft. (LxHxW)
- Two compressors, 220 SCFM at 132 psi
- Emergency crossover valve system
- Twin regenerative dryer/filtration towers
- Multi-gas analyzer for O2, CO, CO2 and moisture with audible and visual alarms
- Two 240 gallon receivers for air storage
- Voltage: 460 VAC/3/60 Hz, 200 amp



Fall Protection

DNOW Safety Services offers an extensive rental inventory of the most requested personal fall protection devices.

DBI-SALA Tripods

- All-aluminium construction
- 9 ft. and 7 ft. models available
- Mounting brackets for 3-way devices
- Mounting rings for self-retracting lanyards



DBI-SALA 3-Way Retrieval Self-Ratcheting Lifeline

- 50 ft., 75 ft. and 130 ft. units available
- Compact, lightweight design
- Patented Seal-Bloc body



Full-Body Harness with Single Dorsal D-Rings

- Universal size
- 2x/3x sizes available
- Tongue and buckle leg straps
- Zinc-plated steel hardware



Dual Self-Retractable Lanyard

- Pelican or Snaphooks available
- 6 ft. lifeline
- Swivel top
- Internal shock absorbing system





MSA 30 ft. Workman Self-Retracting Lanyard

- Galvanized lifeline
- Swivel snaphook
- 400 lb. working capacity



The BRICK®

Portable Explosion-Proof LED Area Light

- Durable, solid aluminum block body
- Suitable for wet location use
- 110V 100 ft. power cord
- >11,500 lumens light output
- Magnetic mechanical mounting knuckle



Miscellaneous Safety Equipment

We understand the requirements for life-saving equipment during intense projects. DNOW Safety Services is equipped to meet peak demands, specialized applications, and demanding schedules with a full line of safety gear:

- Portable safety eyewash and showers
- Fall protection harnesses, lanyards, retractable lifelines, tripods, and retrievable lifelines
- Explosion proof portable lighting
- Emergency lighting
- Ventilation equipment, ram fans, venturi air movers, and electric blowers
- Cooling vests
- Portable fire extinguishers



MOST POPULAR RENTAL ITEMS

*Note: Please inquire for additional exotic gas sensor configurations

	GAS DETECTION
SAP	Description
6000971	BW Clip Single Gas H2S Monitor *
6001881	BW IntelliDox Docking Station for Clip Monitor
6000994	BW MicroDock 2 Docking Station for Single Gas Clip Monitor
6001049	Drager XAM 5000 4-Gas Monitor (O2, LEL, CO, H2S) for Area Monitoring *
6001050	Drager X-Zone 5500 Area Monitor Base
6000988	ISC MX4 4-Gas Monitor (O2, LEL, CO, H2S) *
6002032	ISC MX4 Single Charger
6002046	ISC DSX Standalone Docking Station for MX4
6002035	ISC Ventis Pro5 4-Gas Monitor (O2, LEL, CO, H2S) *
6002031	ISC DSX Standalone Docking Station for Ventis Pro5
6001911	ISC MX6 3-Gas Monitor (O2, LEL, PID) *
6001020	ISC MX6 4-Gas Monitor (O2, LEL, CO, H2S) *
6002033	ISC MX6 4-Gas Monitor (O2, IR, CO/H2-Null, H2S) *
6001982	ISC MX6 4-Gas Monitor (O2, LEL, CO, SO2) *
6001882	ISC MX6 5-Gas Monitor (O2, LEL, CO, H2S, H2) *
6001792	ISC MX6 5-Gas Monitor (O2, LEL, CO, H2S, NH3) *
6001044	ISC MX6 5-Gas Monitor (O2, LEL, CO, H2S, PID)*
6001856	ISC MX6 5-Gas Monitor (O2, LEL, CO, H2S, SO2) *
6001975	ISC MX6 5-Gas Monitor (O2, LEL, CO, NO, NO2) *
6001962	ISC MX6 5-Gas Monitor (O2, LEL, CO, NO2, NH3) *
6001994	ISC MX6 5-Gas Monitor (O2, LEL, CO, SO2, NO2)*
6001851	ISC MX6 5-Gas Monitor (O2, LEL, CO/H2 Null, NH3, NO2) *
6001514	ISC MX6 5-Gas Monitor (O2, LEL, CO/H2 Null, SO2) *
6001961	ISC MX6 5-Gas Monitor (O2, LEL, NO, NO2, NH3) *
6001992	ISC MX6 5-Gas Monitor (02, LEL, SO2, NO, NO2) *
6001021	ISC MX6 6-Gas Monitor (O2, LEL, CO, H2S, SO2, PID) *
6002034	ISC MX6 Single Charger
6001993	ISC MX6 5-Bank Charger
6000915	ISC DSX Standalone Docking Station for MX6
6001965	ISC 6 Ft. Stainless Steel Extension Probe
6001015	MSA Altair 4XR 4-Gas Monitor (O2, LEL, CO, H2S) *
6001775	MSA Altair 4XR 4-Gas Monitor (O2, LEL, CO/H2-Null, H2S) *
6000920	MSA Altair 5X 4-Gas Monitor (O2, LEL, CO, H2S) *
6001932	MSA Altair 5X 4-Gas Monitor (O2, LEL, CO/H2-Null, H2S) *
6001791	MSA Altair 5X 5-Gas Monitor (O2, LEL, CO, H2S, HCN) *
6001883	MSA Altair 5X 5-Gas Monitor (O2, LEL, CO, H2S, NH3) *
6001774	MSA Altair 5X 5-Gas Monitor (O2, LEL, CO, H2S, PID) *
6001811	MSA Altair 5X 5-Gas Monitor (O2, LEL, CO, H2S, SO2) *
6001771	MSA Altair 5X 5-Gas Monitor (O2, LEL, CO/H2-Null, CL2) *
6001801	MSA Altair 5X 6-Gas Monitor (O2, LEL, CO, H2S, CL2, PID) *
6001046	MSA Altair 5X Extra Battery
6002037	MSA Altair Single Charger
6001857	MSA Yellow Monitor Carry Case
6001850	MSA Galaxy GX2 4-Bank Multi-Charger
6001951	MSA Galaxy GX2 4X Docking Station
6000921	MSA Galaxy GX2 5X Docking Station
6001701	MSA Galaxy GX2 Electronic Cylinder Holder
6001858	MSA 1 Ft. Probe and 10 Ft. Sample Line
6002038	MSA Reactive Teflon 1 Ft. Probe and Sample Line
6000922	Rae UltraRae 3000 Monitor with 9.8 eV PID Lamp *
6001984	Rae UltraRae 3000 Monitor with 11.7 eV PID Lamp *
6001991	RKI Eagle II 4-Gas Monitor (O2, CH4 (IR %LEL), CO, H2S)
	Catalyst Applications *

Note: Please specify type of air fittings on breathing air equipment

	RESPIRATORY
SAP	Description
6000928	Scott 5 Min. SKA Pak in Pelican Case
6001679	Scott 5 Min. SKA AT Pak in Pelican Case
6000983	Scott Aluminum 5 Min. 2216 PSI Cylinder
6000929	Scott 2.2 30 Min. SCBA Industrial Air Pak in Pelican Case
6000982	Scott Aluminum 30 Min. 2216 PSI SCBA Cylinder
6001422	Scott 4.5 60 Min. Industrial SCBA Air-Pak in Pelican Case
6002047	Scott Carbon Fiber 30 Mn. 2216 PSI Cylinder
6001721	Scott Carbon Fiber 45 Min. 4500 PSI Cylinder
6001772	Scott Carbon Fiber 60 Min. 4500 PSI Cylinder
6000977	Scott Airline Respirator
6002039	Scott AV-2000 Full Face Mask Size Small
6000973	Scott AV-2000 Full Face Mask Size Large
6002040	Scott AV-2000 Full Face Mask Size X-Large
6001833	Scott AV-3000 High Temp Full Face Mask Size Small
6001832	Scott AV-3000 High Temp Full Face Mask Size Small
6001832	Scott AV-3000 High Temp Full Face Mask Size Medium
6001831	
	Scott AV-3000 SureSeal Full Face Mask Size Small
6001892 6001891	Scott AV-3000 SureSeal Full Face Mask Size Medium
	Scott AV-3000 SureSeal Full Face Mask Size Large
6000948	Scott Weld-O-Vista Full Face Mask
6001841	Scott 742 Full Face Mask Cartridge for AV-2000
6001941	Scott AV-632 Full Face Mask Cartridge Adapter for AV-3000
6000947	Scott 5 Min. 2216 PSI ELSA Escape Respirator
6000944	Air Systems Breather Air Box 50 CFM with 4-Outlets
6002025	Air Systems Wheeled Breather Air Box 50 CFM with Pre- Filters and 4-Outlets
6002022	Air Systems Breather Air Box 100 CFM with 4-Outlets
6002022	Air Systems Breather Air Box 100 CFM with 4-Outlets
6002023	Air Systems Breather Air Box 100 CFM with 8-Outlets
60002024	
6000945	Air Systems Wheeled Breather Air Box 100 CFM with Pre- Filters and 4-Outlets
6001023	Scott Multi-Pak Rescue Air Cart 4500 PSI
60001023	Scott Breathing Air Hose Low Pressure 25 Ft.
6000931	Scott Breathing Air Hose Low Pressure 50 Ft.
6000932	Scott Breathing Air Hose Low Pressure 100 Ft.
6000935	MSA 5 Min. PremAire Cadet Escape Pack in Pelican Case
6000998	MSA 5 Min. 2216 PSI Cylinder
6000936	MSA 2.2 30 Min. SCBA Air Pak in Pelican Case
6001751	MSA Aluminum 30 Min. 2216 Cylinder
6001971	MSA UltraElite Full Face Mask Size Small
6001972	MSA UltraElite Full Face Mask Size Medium
6001973	MSA UltraElite Full Face Mask Size Large
6001845	MSA UltraElite Full Face Mask Cartridge Adapter
6001624	MSA Welding Adapter for UltraElite Full Face Mask
6000999	MSA Breathing Air Hose Low Pressure 50 Ft.
6001904	MSA 10 Min. 3000 PSI ELSA Escape Pack
6001010	3M Dual Airline Welding Yoke
6001009	3M Full Face Mask Size Small 6700 Series
6002010	3M Full Face Mask Size Medium 6800 Series
6002008	3M Full Face Mask Size Large 6900 Series
6001343	3M Full Face Mask Size Small 7800 Series
6002021	3M Full Face Mask Size Medium 7800 Series
6002009	3M Full Face Mask Size Large 7800 Series
6001711	
6001344	3M Welding Adapter for 7800 Series Full Face Mask
6001344 6000933	



Note: Please specify type of air fittings on breathing air equipment

	RESPIRATORY (CONTINUED)
SAP	Description
6000940	Breathing Air Regulator with Low Pressure Alarm
6000938	Manifold 5-Man Splitter
6000937	Manifold 8-Man Killer B High Pressure with Regulator and Alarm
6001765	Manifold 8-Man Killer B Low Pressure No Regulator
6001976	Breathing Air Cylinder 300 Cu. Ft. 2216 PSI
6001019	Breathing Air 2 Bottle Cart - 300 Cu. Ft. 2216 PSI Cylinder
6001017	Breathing Air Cascade 6 PK 2216 PSI
6001803	Breathing Air Cascade 6 PK 6000 PSI
6001018	Breathing Air Cascade 12 PK 2216 PSI
6001802	Breathing Air Cascade 12 PK 6000 PSI
6001016	Trailer (Enclosed) - Breathing Air 20 Cylinder 2216 PSI
6001063	CUBe - High Pressure Compact Breathing Air Trailer 86,000 Cu. Ft. 3600 PSI
6001062	Trailer - Jumbo Breathing Air Tube Trailer 165,000 Cu. Ft.
6001861	Kodiak Breathing Air Trailer with Dual 200 CFM
	Compressors
6001054	Kodiak Breathing Air Pots 20 Gallon
6001847	Kodiak Breathing Air Pots 40 Gallon
6001848	Kodiak Breathing Air Pots 60 Gallon
6001052	Breathing Air Bull Hose Low Pressure 3/4 In. X 50 Ft.
6001053	Breathing Air Bull Hose Low Pressure 2 In. X 50 Ft.
6001849	Manifold 8-Man Killer B Low Pressure with High Volume
	Regulator 3/4 In. Inlet
6002028	Bauer I280 125 CFM High Pressure Compressor
6002041	Scott Revolve Air Compressor with Fill Station

	FALL PROTECTION
SAP	Description
6000959	DBI/SALA 3-Way Retrieval Self-Retracting Lineline 50 Ft.
6000960	DBI/SALA 3-Way Retrieval Self-Retracting Lineline 85 Ft.
6000961	DBI/SALA 3-Way Retrieval Self-Retracting Lineline 130 Ft.
6000962	DBI/SALA Tri-Pod 7 Ft.
6001006	DBI/SALA Tri-Pod 9 Ft.
6000958	MSA Self-Retracting Lanyard 30 Ft.
6000957	Protecta Self-Retracting Lanyard 50 Ft.
6000951	Full Body Harness with Single Dorsal D-Ring - Universal
6001995	Full Body Harness with Single Dorsal D-Ring - 2X / 3X
6001931	Lanyard Twin SRL with Pelican Hook
6000954	Lanyard Twin SRL with Snap Hook
6000953	Lanyard Double Leg 6 Ft. Tie Back
6001786	Harness - Boatswain Chair
6000955	Lifeline Rope 50 Ft. with Latch Hooks
6001065	Lifeline Rope 100 Ft. with Latch Hooks
6001902	DBI / SALA Sliding Beam Anchor
6001843	DBI 4 Ft. Cable Tie-Off Adapter
6001529	Steel Cable Ladder 25 Ft.
6002042	Steel Cable Ladder 50 Ft.
6001066	Steel Chain Ladder 25 Ft.
6001005	Steel Chain Ladder 50 Ft.

	MISCELLANEOUS
SAP	Description
6000968	Portable Eyewash Station/Shower 15 Gallon Pressurized with Drench Hose
6001322	Western Technology Explosion Proof LED Brick Light
6002044	Western Technology Brick Light Magnetic Mounting Knuckle
6002045	Western Technology Brick Light Magnetic Mounting Puck
6001844	Area Light Explosion Proof LED Cart with Wheels
6001842	Drop Light 12 Volt Explosion Proof
6002001	12 In. Explosion Proof Axial Blower
6002011	12 In. Canister Duct with 25 Ft. Ducting
6000965	8 In. Explosion Proof Electric Blower
6002002	8 In. In-Line Ventilation Hose Kit
6001912	Air Systems 90 Degree Elbow for Ventilation
6000967	Saddle Vent for Electric Blower
6001921	Saddle Vent Hanger
6001963	6 In. Venturi Pneumatic Air Blower
6001983	12 In. Venturi Pneumatic Air Blower
6001461	Jet Fan 20 In. Pneumatic
6002007	Swing Gate 20 In. for Jet Fan
6002026	Air Systems Cool-Box Distribution Manifold
6002027	Allegro Cooling Vest with Vortex
6001012	Ergodyne Chill-Its Gel Type Cool Vest
6002030	Ergodyne Chill-Its Gel Inserts
6001351	HEPA Commercial Vacuum 14 Gallon Tank Wet / Dry
6000981	Fire Extinguisher 20 Lb. Stored Pressure
6001723	Fire Extinguisher 30 Lb. Stored Pressure
6002029	Biosystems Posichek 3
6001058	Trailer (Enclosed)-20 Ft. Turnaround/Issue Trailer with AC
6002043	Trailer (Enclosed)-53 Ft. Turnaround/Issue Trailer with AC



Corporate Headquarters

7402 N Eldridge Parkway Houston, TX 77041 USA (281) 823-4700 www.dnow.com

Full-Line Safety Services Branches

Gonzales, LA 2737 S. Ruby St. Gonzales, LA 70737 (225) 644-1414

Lake Charles, LA 3408 Hwy 90 West Westlake, LA 70669 (337) 882-6405

Texas City, TX 202 21st Street South Texas City, TX 77590 (409) 945-2457

Contact us at one of our service branches or

Toll Free: 1 (833) 987-1676

Email: safetyservicerequest@dnow.com

To view all DNOW's locations and other contact information: www.dnow.com/locations



WE WANT TO HEAR FROM YOU! Please send customer service comments

and questions to CP1@dnow.com

© 2023 DNOW All rights reserved. DNB-190226.01

DNOW has produced this brochure for general information only, and it is not intended for design purposes. Although every effort has been made to maintain the accuracy and reliability of its contents, DNOW in no way assumes responsibility for liability for any loss, damage or injury resulting from the use of information and data herein. All applications for the material described are at the user's risk and are the user's responsibility.